

Notice of Allowability

Application No.

09/851,478

Examiner

LINH BLACK

Applicant(s)

HOTTI ET AL.

Art Unit

2167

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 3/7/05.
2. ☒ The allowed claim(s) is/are 35-55 (Renumbered as 1-21).
3. ☒ The drawings filed on 08 May 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

pd

Reasons for allowance

1. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach the combination of limitations in the independent claims 35, and 46, especially, "database system comprising at least one application master database node, at least one application replica database node, at least one application having access to the application master database node or the replica database node, at least one configuration management master database node, and at least one configuration management replica database node, wherein the at least one configuration management master database node and at least one configuration management replica database node are for managing at least one of the at least one application master database node, the at least one application replica database node and/or at least one and the at least one application, the method which comprises the steps of: storing new configuration data in the configuration management master database node, synchronizing at least part of the configuration data to the at least one the at least one configuration management replica database node, and altering the configuration of the at least one application master database node and/or at least one application replica database node and/or application on the basis of at least part of the configuration data of the at least one configuration management replica database."

Art Unit: 2167

Sheth et al., in the "Federated Database Systems for Managing Distributed, Heterogeneous, and Autonomous Databases", do not fairly suggest the combination of limitations listed above.

2. Dependent claims 36-40, and 47-55 incorporate the listed limitations by reference and contain limitations that further distinguish over the art of record. For these reasons, claims 36-40, and 47-55, are considered allowable over the art of record.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LINH BLACK whose telephone number is 571-272-4106. The examiner can normally be reached on 8am - 5pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JOHN BREENE can be reached on 571-272-4107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



LINH BLACK
Examiner
Art Unit 2167

May 12, 2005



ZRETA ROBINSON
PRIMARY EXAMINER